

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	625	(XSLT transform \$3 translat\$3 convert\$3) & (format\$4) & (markup sgml html dhtml xml (markup near languages)) & ((common global ununiversal shar \$3) near (schema DTD))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 10:54
L2	0	((common global ununiversal shar \$3) near (sclass \$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 10:54
L3	8395	((common global ununiversal shar \$3) near (class \$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 10:54
L4	32	L1 and L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 10:54
L5	5	L4 & ((construct \$3 deconstruct \$3) with tag\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 10:54

L6	660	(XSLT transform \$3 translat\$3 convert\$3) & (markup sgml html dhtml xml (markup near languages)) & ((common global unniversal shar \$3) near (schema DTD))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 10:54
L7	32	L6 & ((common global unniversal shar\$3) near (class\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 10:54
L8	5	L7 & ((construct \$3 deconstruct \$3) with tag\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 10:54
L9	551	(XSLT transform \$3 translat\$3 convert\$3) & (format\$4) & (markup sgml html dhtml xml (markup near languages)) & ((common global unniversal) near (schema DTD))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 10:54
L10	22	L9 & ((construct \$3 deconstruct \$3) with tag\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 10:54
L11	3	L9 & ((construct \$3 deconstruct \$3) near tag\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 10:54

L12	0	L9 & ((construct \$3 same deconstruct\$3) near schema )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 10:54
L13	0	xml & ((construct \$3 same deconstruct\$3) near schema )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 10:54
L14	0	xml & ((construct \$3 & deconstruct \$3) near schema )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 10:54
L15	0	((construct\$3 & deconstruct\$3) near tag\$4 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 10:54
L16	21	((((construct\$3 assembl\$3 deserializ\$3 build \$3 generat\$3 marshal\$3 creat \$3) same (serializ \$3 unmarshal\$3 break\$3 deconstruct\$3))) near tag\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 10:54
L17	0	L16 & (XSLT transform\$3 translat\$3 convert\$3) & (format\$4) & (markup sgml html dhtml xml (markup near languages)) & ((common global ununiversal) near (schema DTD))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 10:54

L18	25	((common global ununiversal shar \$3) near (class \$2)) & (XSLT transform\$3 transl\$3 convert\$3) & (format\$4) & (markup sgml html dhtml xml (markup near languages)) & ((common global ununiversal) near (schema DTD))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 10:54
L19	0	L18 & construct \$3 & deconstruct \$3 & tag\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 10:54
L20	0	L18 & reconstruct \$3 & deconstruct \$3 & tag\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 10:54
L21	3	((first near structure) with (second near structure)) & (XSLT transform \$3 transl\$3 convert\$3) & (format\$4) & (markup sgml html dhtml xml (markup near languages)) & ((common global ununiversal shar \$3) near (schema DTD))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 10:54

10/7/2010 10:56:06 AM

H:\Workspaces\10562044 short.wsp